

Over 100 articles on Neurofeedback and ADHD

Albert, AO, Andrasik, F, Moore, J & Dunn, BR (1998) Theta/beta training for attention, concentration and memory improvement in the geriatric population. *Applied Psychophysiology & Biofeedback*, 23 (2), 109. Abstract.

Alhambra, M, Fowler, T & Alhambra, A (1995) EEG biofeedback: A new treatment option for ADD/ADHD. *Jrnl of Neurotherapy*, 1 (2), 39-43.

Arns, M, Kleinnijenhuis, M, Fallahpour, K & Bretler, R (2007) Golf performance enhancement and real-life neurofeedback training using personalized event-locked EEG profiles. *Jrnl of Neurotherapy*, 11(4), 11-18.

Arns, M. (2012). EEG-based personalized medicine in ADHD: Individual alpha peak frequency as an endophenotype associated with nonresponse. *Journal of Neurotherapy*.

Arns, M, de Ridder, S, Strehl, U, Breteler, M, & Coenen, A. (2009). Efficacy of neurofeedback treatment in ADHD: The effects on inattention, impulsivity and hyperactivity: A meta-analysis. *Clinical EEG and Neuroscience*, 40(3) 180–189.

Arns, M, Feddema, I, & Kenemans, J. (2014) Differential effects of Theta/Beta and SMR neurofeedback in ADHD on sleep onset latency. *Frontiers in Human Neuroscience* 8:1019. doi:[10.3389/fnhum.2014.01019](https://doi.org/10.3389/fnhum.2014.01019)

Barabasz, A & Barabasz, M (1996) Neurotherapy and alert hypnosis in the treatment of attention deficit disorder. Chapter in S Lynn, I Kirsch & J Rhue (Eds.), *Casebook of Clinical Hypnosis*. Washington, DC: American Psychological Association Press, pp. 271-292.

Barabasz, A & Barabasz, M (2000) Treating AD/HD with hypnosis and neurotherapy. *Child Study Journal*, 30 (1), 25-42.

Bazanova, O, Aftanas, L (2010). Individual EEG alpha activity analysis for enhancement neurofeedback efficiency: Two case studies. *Jrnl of Neurotherapy* 14(3), 244 – 253.

Beauregard, M & Levesque, J. (2006) Functional magnetic resonance imaging investigation of the effects of neurofeedback training on the neural bases of selective attention and response inhibition in children with attention-deficit/hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 31 (1), 3-20.

Becerra, J, Fernandez, T, Harmony T, Caballero M, Garcia F, Fernandez-Bouzas A, Santiago-Rodriguez E, Prado-Alcala R (2006) Follow-up study of Learning Disabled children treated with Neurofeedback or placebo. *Clinical EEG & Neuroscience*, 37(3), 198-203.

Bink, M., Nieuwenhuizen, C., Popma, A., Bongers, I., Boxtel, G. (2015). Behavioral effects of neurofeedback in adolescents with ADHD: a randomized controlled trial. *European Child & Adolescent Psychiatry*, 24(9), 1035-1048. doi: [10.1007/s00787-014-0655-3](https://doi.org/10.1007/s00787-014-0655-3)

Boyd, WD & Campbell, SE (1998) EEG biofeedback in the schools: The use of EEG biofeedback to treat ADHD in a school setting. *Jrnl of Neurotherapy*, 2 (4), 65-71.

Breteler, M, Arns, M, Peters, S, Giepman, I & Verhoeven, L (2010) Improvements in spelling after QEEG-based neurofeedback in dyslexia: A randomized controlled treatment study. *Applied Psychophysiology & Biofeedback*, 35(1), 5-11.

Budzynski, T (1996) Brain brightening: Can neurofeedback improve cognitive process? *Biofeedback*, 24(2), 14-17.

Carmody, D, Radvanski, D, Wadhvani, S, Sabo, J & Vergara, L (2001) EEG biofeedback training and attention-deficit/hyperactivity disorder in an elementary school setting. *Jrnl of Neurotherapy*, 4 (3), 5-27.

Carter, J & Russell, H (1991) Changes in verbal performance IQ discrepancy scores after left hemisphere frequency control training: A pilot report. *American Jrnl of Clinical Biofeedback*, 4(1), 66-67.

Cunningham, M & Murphy, P (1981) The effects of bilateral EEG biofeedback on verbal, visuospatial and creative skills in LD male adolescents. *Jrnl of Learning Disabilities*, 14(4), 204-208.

Drechsler R, Straub M, Doehnert, M, Heinrich H, Steinhausen H & Brandeis D. (2007) Controlled evaluation of a neurofeedback training of slow cortical potentials in children with ADHD. *Behavioral & Brain Functions*, 3, 35.

Egner, T & Gruzelier, J (2001) Learned self-regulation of EEG frequency components affects attention and event-related brain potentials in humans. *NeuroReport*, 12, 4155-4159.

Egner, T & Gruzelier, J (2004) EEG biofeedback of low beta band components: Frequency-specific effects on variables of attention and event-related brain potentials. *Clinical Neurophysiology*, 115 (1), 131-139.

Escolano, C., Navarro-Gil, M., Garcia-Campayo, J., Congedo, M., Minguez, J. (2014). The effects of individual upper alpha neurofeedback in ADHD: an open-label pilot study. *Applied Psychophysiology & Biofeedback*, 39(3-4), 193-202. doi: [10.1007/s10484-014-9257-6](https://doi.org/10.1007/s10484-014-9257-6)

Fehmi, LG (2007) Multichannel EEG phase synchrony training and verbally guided attention training for disorders of attention. Chapter in J. R. Evans (Ed.), *Handbook of Neurofeedback*. Binghamton, NY: Haworth, pp. 301-319.

Fehmi, LG (1978) EEG biofeedback, multichannel synchrony training, and attention. Chapter in AA Sugarman & RE Tarter (Eds.), *Expanding Dimensions of Consciousness*. NY: Springer.

Fehmi, LG & Selzer, FA (1980) Biofeedback and attention training. Chapter in S. Boorstein (Ed.), *Transpersonal Psychotherapy*. Palo Alto: Science and Behavior Books.

Fernandez, T, Herrera, W, Harmony, T, Diaz-Comas, L, Santiago, E, Sanchez, L, et al. (2003) EEG and behavioral changes following neurofeedback treatment in learning disabled children. *Clinical Electroencephalography*, 34(3), 145-150.

Fleischman, M & Othmer, S (2005) Case study: Improvements in IQ score and maintenance of gains following EEG biofeedback with mildly developmentally delayed twins. *Jrnl of Neurotherapy*, 9(4), 35-46.

Foks, M (2005) Neurofeedback training as an educational intervention in a school setting: How the regulation of arousal states can lead to improved attention and behavior in children with special needs. *Educational & Child Psychology*, 22 (3), 67-77.

Fox, DJ, Tharp, D & Fox, LC (2005) Neurofeedback: An alternative and efficacious treatment for attention deficit hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 30 (4), 365-274.

Fritson, K, Wadkins, T, Gerdes, P & Hof, D (2007) The impact of neurotherapy on college students' cognitive abilities and emotions. *Jrnl of Neurotherapy*, 11(4), 1-9.

Fuchs, T, Birbaumer, N, Lutzenberger, W, Gruzelier, J & Kaiser, J (2003) Neurofeedback treatment for attention deficit/hyperactivity disorder in children: A comparison with methylphenidate. *Applied Psychophysiology and Biofeedback*, 28, 1-12.

Gani C, Birbaumer N & Strehl U (2008) Long term effects after feedback of slow cortical potentials and of theta-beta amplitudes in children with attention-deficit/hyperactivity disorder(ADHD) *International Jrnl of Bioelectromagnetism*, 10 (4), 209-232.

González-Castro, P., Cueli, M., Rodríguez, C., García, T., Álvarez, L. (2016). Efficacy of neurofeedback versus pharmacological support in subjects with ADHD. *Applied Psychophysiology & Biofeedback*, 41(1),17-25. doi: [10.1007/s10484-015-9299-4](https://doi.org/10.1007/s10484-015-9299-4)

Hansen, LM, Trudeau, D & Grace, L (1996) Neurotherapy and drug therapy in combination for adult ADHD, personality disorder, and seizure. *Jrnl of Neurotherapy*, 2 (1), 6-14.

Hirshberg, LM (2007) Place of electroencephalographic biofeedback for attention-deficit/hyperactivity disorder. *Expert Review of Neurotherapeutics*, 7 (4), 315-319.

Jackson, GM & Eberly, DA (1982) Facilitation of performance on an arithmetic task as a result of the application of a biofeedback procedure to suppress alpha wave activity. *Biofeedback & Self-Regulation*, 7 (2), 211-221.

Jacobs, EH (2005) Neurofeedback treatment of two children with learning, attention, mood, social, and developmental deficits. *Jrnl of Neurotherapy*, 9 (4), 55-70.

Kaiser, DA & Othmer, S. (2000) Effect of Neurofeedback on variables of attention in a large multi-center trial. *Jrnl of Neurotherapy*, 4 (1), 5-15.

Kirk, L. (2007) Neurofeedback protocols for subtypes of attention deficit/hyperactivity disorder. Chapter in JR Evans (Ed.), *Handbook of Neurofeedback*. Binghamton, NY: Haworth Medical Press, pp. 267-299.

Kotwal, DB, Burns, WJ & Montgomery, D. D. (1996) Computer-assisted cognitive training for ADHD: A case study. *Behavior Modification*, 20(1), 85-96.

Kropotov, J, Grin-Yatsenko, V, Ponomarev, V, Chutko, L, Yakovenko, E & Nikishena, I (2007) Changes in EEG spectograms, event-related potentials and event-related desynchronization induced by relative beta training in ADHD children. *Jrnl of Neurotherapy*, 11 (2), 3-11.

Kropotov, J, Grin-Yatsenko, V, Ponomarev, V, Chutko, L, Yakovenko & E, Nildshena, I (2005) ERPs correlates of EEG relative beta training in ADHD children. *International Jrnl of Psychophysiology*, 55 (1), 23-34.

Kwon, H, Cho, J, Lee, E (2009) EEG asymmetry analysis of the left and right brain activities during simple versus complex arithmetic learning. *Jrnl of Neurotherapy* 13(2), 109 – 116.

Leins, U, Goth, G, Hinterberger, T, Klinger, C, Rumpf, N & Strehl, U (2007) Neurofeedback for children with ADHD: A comparison of SCP and theta/beta protocols. *Applied Psychophysiology & Biofeedback*, 32 (2), 73-88.

Levesque, J, Beauregard, M & Mensour, B (2006) Effect of neurofeedback training on the neural substrates of selective attention in children with attention-deficit/hyperactivity disorder: a functional magnetic resonance imaging study. *Neuroscience Letters*, 394 (3), 216-221.

Linden, M, Habib, T & Radojevic, V. (1996) A controlled study of the effects of EEG biofeedback on cognition and behavior of children with attention deficit disorder and learning disabilities. *Biofeedback & Self-Regulation*, 21(1), 35-49.

Loo, S & Barkley, R (2005) Clinical utility of EEG in attention deficit hyperactivity disorder. *Applied Neuropsychology*, 12 (2), 64-76.

Lubar, J. F. (1985). EEG biofeedback and learning disabilities. *Theory into Practice*, 26, 106–111

Lubar, J (1995) Neurofeedback for the management of attention-deficit/hyperactivity disorders. Chapter in M Schwartz (Ed.), *Biofeedback: A Practitioner's Guide*. NY, Guilford, 493-522.

Lubar, J (2003) Neurofeedback for the management of attention-deficit/hyperactivity disorders. Chapter in M. S. Schwartz & F. Andrasik (Eds.), *Biofeedback: A Practitioner's Guide* (Third Edition) NY, Guilford, 409-437.

Lubar, J & Lubar, J (1984) Electroencephalographic biofeedback of SMR and beta for treatment of attention deficit disorders in a clinical setting. *Biofeedback & Self-Regulation*, 9, 1-23.

Lubar, J.& Shouse, M (1976) EEG and behavioral changes in a hyperactive child concurrent

with training of the sensorimotor rhythm (SMR): A preliminary report. *Biofeedback & Self-Regulation*, 1 (3), 293-306.

Lubar, J & Shouse, M (1977) Use of biofeedback in the treatment of seizure disorders and hyperactivity. *Advances in Clinical Child Psychology*, 1, 204-251.

Lubar, J, Swartwood, M, Swartwood, J & O'Donnell, P (1995) Evaluation of the effectiveness of EEG neurofeedback training for ADHD in a clinical setting as measured by changes in TOVA, scores, behavioral ratings, and WISC-R performance. *Biofeedback & Self-Regulation*, 20 (1), 83-99.

Lutzenberger W, Elbert T, Rockstroh B & Birbaumer N (1982) Biofeedback produced slow brain potentials and task performance. *Biological Psychology*, 14, 99-111.

McKnight, J & Fehmi, L (2001) Attention and neurofeedback synchrony training: Clinical results and their significance. *Jrnl of Neurotherapy*, 5 (1-2), 45-62.

*** Moghanloo, M., Aguilar Vafaie, M. E., Rostami, R., & Farahani, H. (2014). Determination of the Effects of Neurofeedback Training in the Neuropsychological Rehabilitation in Inattentive and Combined Subtypes of Attention Deficit/Hyperactivity Disorder. *Journal of NeuroRegulation*, 1(2), 131-150.

Monastra, V (2005) Electroencephalographic biofeedback (neurotherapy) as a treatment for attention deficit hyperactivity disorder: Rationale and empirical foundation. *Child & Adolescent Psychiatric Clinics of North America*, 14 (1), 55-82.

Monastra, V, Lynn, S, Linden, M, Lubar, J, Gruzelier, J & LaVaque, T (2005) Electroencephalographic biofeedback in the treatment of attention-deficit/hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 30 (2), 95-114.

Monastra, V, Monastra, D & George, S (2002) The effects of stimulant therapy, EEG biofeedback and parenting style on the primary symptoms of attention-deficit/hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 27(4), 231-249.

Mulholland, T, Goodman, D & Boudrot, R. (1983) Attention and regulation of EEG alpha-attenuation responses. *Biofeedback & Self-Regulation*, 8 (4), 585-600.

Nash, J (2000) Treatment of attention-deficit hyperactivity disorder with neurotherapy. *Clinical Electroencephalography*, 31 (1), 30-37.

Norris, S, Lee, C, Burshteyn, D & Cea-Aravena, J. (2001) The effects of performance enhancement training on hypertension, human attention, stress, and brain wave patterns: A case study. *Jrnl of Neurotherapy*, 4 (3), 29-44.

Norris, S, Lee, C, Cea, J & Burshteyn, D. (1998) Performance enhancement training effects on attention: A case study. *Jrnl of Neurotherapy*, 3 (1), 19-25.

Othmer, S, Othmer, S & Kaiser, DA (1999) EEG biofeedback: Training for AD/HD and related disruptive behavior disorders. Chapter in J Incorvaia, B Mark-Goldstein & D Tessmer (Eds.), *Understanding, Diagnosing, & Treating AD/HD in Children and Adolescents*. NY: Aronson, 235-297.

Orlando, P & Rivera, R (2004) Neurofeedback for elementary students with identified learning problems. *Jrnl of Neurotherapy*, 8(2), 5-19.

Patrick, G (1996) Improved neuronal regulation in ADHD: An application of 15 sessions of photic-driven EEG neurotherapy. *Jrnl of Neurotherapy*, 1(4), 27-36.

Perreau-Linck, E, Lessard, N, Lévesque, J, Beauregard, M (2010) Effects of neurofeedback training on inhibitory capacities in ADHD children: A single-blind, randomized, placebo-controlled study. *Jrnl of Neurotherapy* 14(3), 229 -242.

Pigott, E. H., Bodenhamer-Davis, E., Davis, E. (2013). Ending the evidentiary & insurance reimbursement bias against neurofeedback to treat ADHD: It will take clinician action in addition to the compelling science. *Journal of Neurotherapy*

Pigott, E & Cannon, R. (2014). Neurofeedback is the Best Available First-Line Treatment for ADHD: What is the Evidence for this Claim?. *Journal of NeuroRegulation*, 1(1), 4-23.

Pigott, E & Cannon, R. (2014). Neurofeedback Requires Better Evidence of Efficacy Before It Should Be Considered a Legitimate Treatment for ADHD: What is the Evidence for this Claim? *Journal of NeuroRegulation*, 1(1), 25-45.

Pratt, RR, Abel, H & Skidmore, J (1995) The effects of neurofeedback training with background music on EEG patterns of ADD and ADHD children. *International Jrnl of Arts Medicine*, 4 (1), 24-31.

Putnam, J, Othmer, S, Othmer, S & Pollock, V (2005) TOVA results following interhemispheric bipolar EEG training. *Jrnl of Neurotherapy*, 9(1), 37-52.

Pulvermuller, F, Mohr, B, Schleichert, H & Veit, R (2000) Operant conditioning of left-hemispheric slow cortical potentials and its effect on word processing. *Biological Psychology*, 53, 177-215.

Rasey, H, Lubar, J, McIntyre, A, Zoffuto, A & Abbott, P (1996) EEG biofeedback for the enhancement of attentional processing in normal college students. *Jrnl of Neurotherapy*, 1(3), 15-21.

Rockstroh, B, Elbert, T, Lutzenberger, W & Birbaumer, N (1990) Biofeedback: Evaluation and therapy in children with attentional dysfunction. Chapter in A. Rothenberger (Ed.), *Brain and Behaviour in Child Psychiatry*. Berlin: Springer Verlag, pp. 345-357.

Ros T, Baars BJ, Lanius R & Vuilleumier P. (2014), Tuning pathological brain oscillations with neurofeedback: A systems neuroscience framework. *Frontiers in Human Neuroscience*

8(1008).

Rossiter, T (2004) The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part I. Review of methodological issues. *Applied Psychophysiology & Biofeedback*, 29 (2), 135-140.

Rossiter, T (2005) The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part II. Replication. *Applied Psychophysiology & Biofeedback*, 29 (4), 233-243.

Rossiter, T (2002) Neurofeedback for AD/HD: A ratio feedback case study. *Jrnl of Neurotherapy*, 6 (3), 9-35.

Rossiter, T (1998) Patient directed neurofeedback for ADHD. *Jrnl of Neurotherapy*, 2 (4), 54-63.

Rossiter, T & La Vaque, T (1995) A comparison of EEG biofeedback and psychostimulants in treating attention deficit/hyperactivity disorders. *Jrnl of Neurotherapy*, 1, 48-59.

Russell, H & Carter, J (1997) EEG Driven Audio-Visual Stimulation Unit for Enhancing Cognitive Abilities of Learning Disordered Boys: Final Report. Washington, D.C.: U.S. Department of Education (SBIR), Contract number RA94130002.

Scheinbaum, S, Zecker, S, Newton, CJ & Rosenfeld, P (1995) A controlled study of EEG biofeedback as a treatment for attention-deficit disorders. In *Proceedings of the 26th Annual Meeting of the Association for Applied Psychophysiology and Biofeedback*, pp. 131-134.

Sheer, D (1975) Biofeedback training of 40-Hz EEG and behavior. Chapter in N Burch & H Altshuler (Eds.), *Behavior and Brain Electrical Activity*. NY: Plenum.

Sheer, D (1977) Biofeedback training of 40-Hz EEG and behavior. Chapter in J. Kamiya et al., *Biofeedback and Self-Control 1976/1977. An Annual Review*. Chicago: Aldine.

Shin, D, Lee, J, Lee, S, Kim, I & Kim, S (2004) Neurofeedback training with virtual reality for inattention and impulsiveness. *Cyberpsychology & Behavior*, 7 (5), 519-526.

Shouse, M & Lubar, J (1979) Operant conditioning of EEG rhythms and Ritalin in the treatment of hyperkinesis. *Biofeedback & Self-Regulation*, 4 (4), 299-311.

Stankus, T (2008) Can the brain be trained? Comparing the literature on the use of EEG biofeedback/ neurofeedback as an alternative or complementary therapy for attention deficit disorder. *Behavioral & Social Sciences Librarian*, 26 (4), 20-56.

Stökl-Drax, T. QEEG and 19-Channel Neurofeedback as a Clinical Evaluation Tool for Children with Attention, Learning, and Emotional Problems. *Journal of NeuroRegulation*, 1(2), 173-182

Strehl, U, Leins, U, Goth, G, Klinger, C, Hinterberger, T & Birbaumer, N (2006) Self-regulation of slow cortical potentials: A new treatment for children with attention-deficit/hyperactivity

disorder. *Pediatrics*, 118, 1530-1540.

Swingle, P (2001) Parameters associated with rapid neurotherapeutic treatment of common ADD (CADD) *Jrnl of Neurotherapy*, 5(4), 73-84.

Swingle, P (1996) Sub threshold 10-Hz sound suppresses EEG theta: Clinical application for the potentiation of neurotherapeutic treatment of ADD/ADHD. *Jrnl of Neurotherapy*, 2 (1), 15-22.

Tansey, M (1984) EEG sensorimotor rhythm biofeedback training: Some effects on the neurological precursors of learning disabilities. *International Jrnl of Psychophysiology*, 3, 85-99.

Tansey, M (1990) Righting the rhythms of reason: EEG biofeedback training as a therapeutic modality in a clinical office setting. *Medical Psychotherapy*, 3, 57-68.

Tansey, M (1991) Wechsler (WISC-R) changes following treatment of learning disabilities via EEG biofeedback in a private practice setting. *Australian Jrnl of Psychology*, 43, 147-153.

Tansey, M & Bruner, R (1983) EMG and EEG biofeedback training in the treatment of 10-year old hyperactive boy with a developmental reading disorder. *Biofeedback & Self-Regulation*, 8(1), 25-37.

Tansey, M (1985) Brainwave signatures--An index reflective of the brain's functional neuroanatomy: Further findings on the effect of EEG sensorimotor rhythm biofeedback training on the neurologic precursors of learning disabilities. *International Jrnl of Psychophysiology*, 3, 85-89.

Tansey, M (1993) Ten-year stability of EEG biofeedback results for a hyperactive boy who failed fourth grade perceptually impaired class. *Biofeedback & Self-Regulation*, 18, 33-44.

Thomas, J (2011) Brain brightening: Neurotherapy for enhancing cognition in the elderly. In P Hartman-Stein & A LaRue (Eds.) *Enhancing cognitive fitness in adults*, NY: Springer.

Thomas, J (2012) Neurofeedback: A new modality for treating brain problems, *Archives of medical psychology*. 2012

Thompson, L & Thompson, M (1998) Neurofeedback combined with training in metacognitive strategies: Effectiveness in students with ADD. *Applied Psychophysiology & Biofeedback*, 23 (4), 243-263.

Thornton, K & Carmody, D (2005) Electroencephalogram biofeedback for reading disability and traumatic brain injury. *Child & Adolescent Psychiatric Clinics of North America*, 14(1), 137-162.

Tinius, T & Tinius, K (2001) Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit disorder. *Jrnl of Neurotherapy*, 4 (2), 27-44.

Vachon-Presseau, E Achim, A & Benoit-Lajoie, A (2009) Direction of SMR and beta change with attention in adults. *Jrnl of Neurotherapy* 13(1), 22 – 29.

Valdez, M (1985) Effects of biofeedback-assisted attention training in a college population. *Biofeedback & Self-Regulation*, 10 (4), 315-324.

Vernon, D, Eegner, T Cooper, N Compton, T, Neilands, C, Sheri, A & Gruzelier, J (2003) The effect of training distinct neurofeedback protocols on aspects of cognitive performance. *International Jnl of Psychophysiology*, 47, 75-85.

Vollebregt, M. A., Dongen-Boomsma, M., Buitelaar, J.K., Slaats-Willems, D. (2014). Does EEG-neurofeedback improve neurocognitive functioning in children with attention-deficit/hyperactivity disorder? a systematic review and a double-blind placebo-controlled study. *Journal of Child Psychology and Psychiatry*, 55(5), 460–472. doi:[10.1111/jcpp.12143](https://doi.org/10.1111/jcpp.12143)

Wadhvani, S, Radvanski, D & Carmody, D (1998) Neurofeedback training in a case of attention deficit hyperactivity disorder. *Jnl of Neurotherapy*, 3 (1), 42-49.

Walker, J & Norman, C (2006) The neurophysiology of dyslexia: A selective review with implications for neurofeedback remediation and results of treatment in twelve consecutive patients. *Jnl of Neurotherapy*, 10(1), 45-55.

Warner, D, Barabasz, A & Barabasz, M (2000) The efficacy of Barabasz's alert hypnosis and neurotherapy on attentiveness, impulsivity and hyperactivity in children with ADHD. *Child Study Journal*, 30 (1), 43-49.

Williams, J (2010) Does neurofeedback help reduce attention-deficit hyperactivity disorder? *Jnl of Neurotherapy* 14(4), 261-279.

Xiong, Z, Shi, S & Xu, H. (2005) A controlled study of the effectiveness of EEG biofeedback training on children with attention deficit hyperactivity disorder. *Jnl of Huazhong University of Science & Technology*, 25 (3), 368-370.